



INSTITUT NATIONAL DE PLONGÉE PROFESSIONNELLE  
*et d'intervention en milieu aquatique et hyperbare*

ORGANISME NOTIFIÉ  
NOTIFIED BODY  
N°0078

1/3-0052

En exécution de la directive 89/686/CEE du 21 décembre 1989 concernant le rapprochement des législations des états membres relatives aux équipements de protection individuelle et des décrets n° 92-765, 766 et 768 du 29 juillet 1992 portant transposition de cette directive en droit français,  
*In application of the Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to personal protective equipment, and of Decrees nos. 92-765, 92-766 and 92-768 of 29 July 1992 transposing this Directive into French law.*

**L'INSTITUT NATIONAL DE PLONGÉE PROFESSIONNELLE**

Entrée n° 3 - Port de la Pointe Rouge – BP.157 - 13267 MARSEILLE CEDEX 08

habilité par arrêté des Ministères chargés du travail et de l'agriculture en date du 11 août 1992, identifié sous le numéro **0078** (publié au JOCE du 23 juillet 1994) attribue :

*Authorized by Order of the ministries in charge of Labour and Agriculture, dated 11 August 1992 identified under number 0078 (notified in OJEC, on July 23, 1994) grants :*

**L'ATTESTATION D'EXAMEN CE DE TYPE**

EC TYPE EXAMINATION CERTIFICATE

N°0078/2480/079/1016/0052

au modèle d'équipement de protection individuelle suivant :

*to the following PPE*

• dénomination : Demand regulator

- *denomination* :

• marque commerciale, type : MTX

- *trademark, reference*

• fabricant : APEKS MARINE EQUIPMENT Ltd-Neptune Way-Blackburn-Lancashire-BB1 2BT

- *manufacturer* ENGLAND

• demandeur de l'attestation : APEKS MARINE EQUIPMENT Ltd-Neptune Way-Blackburn-  
*applicant* Lancashire-BB1 2BT –ENGLAND

description : Demand regulator intended to be used at water temperatures below 10 °C

- *description*

No. File INPP 32-2016 of the 15th June 2016– Report 91-2016 of the 4th October 2016

Notice validated in english version



MTX – Yoke version



MTX – Din version

**VARIANT** : Demand regulator MTX R

Tel. : 0 496 140 940 - Fax : 04 91 79 83 01  
13267 MARSEILLE CEDEX 08  
Entrée n° 3 - BP. 157  
Port de la Pointe Rouge  
INSTITUT NATIONAL DE PLONGÉE PROFESSIONNELLE

Document établi en trois exemplaires (*this certificate is edited in three original copies*)

N°1 : Dossier Attestation/Certificate file

N°2 : Dossier Technique/Technical file

N°3 : Fabricant/Manufacturer

Attestation CE de Type /EC Type Examination

REV.6



INSTITUT NATIONAL DE PLONGÉE PROFESSIONNELLE  
*et d'intervention en milieu aquatique et hyperbare*

ORGANISME NOTIFIE  
 NOTIFIED BODY  
 N°0078

2/3-0052

**References PPE**

MTX models	Pressure Reducer			
Demand Valve	AP0288 MTX 1st stage Black Yoke	AP0288S MTX 1st stage Satin Yoke	AP0289 MTX 1st stage Black DIN	AP0289S MTX 1st stage Satin DIN
AP0290 - MTX 2nd stage Black	AP0286		AP0287	
AP0290S - MTX 2nd stage Satin		AP0286S		AP0287S

MTX-R models	Pressure Reducer	
Demand Valve	AP0062 MTX-R 1st stage Satin Yoke	AP0063 MTX-R 1st stage Satin DIN
AP0064 - MTX-R 2nd stage Satin	AP0060	AP0061

Octopus with hose MTX-R models	Hoses
	AP0199S Flexi 3/8" Octo Hose
AP0065 - MTX-R 2nd stage Octo	AP0066

INSTITUT NATIONAL  
 de PLONGÉE PROFESSIONNELLE  
 Port de la Poignée, 10938  
 Estuaire, Cedex 08  
 13267 MARSILLIÈRE  
 Tél : 0 496 140 940 Fax : 04 91 73 83 01

Document établi en trois exemplaires (*this certificate is edited in three original copies*)  
 N°1 : Dossier Attestation/Certificate file    N°2 : Dossier Technique/Technical file  
 Attestation CE de Type /EC Type Examination  
 REV.6

N°3 : Fabricant/Manufacturer



**Hose assemblies :**

118 cm with quick disconnect hose (rubber) : Restriction, please refer to the deviations comments.  
3 meters (braided black)  
3 meters (rubber black )  
73 cm (rubber black )  
73 cm (braided black)  
91 cm (rubber yellow)  
91 cm (braided yellow)

**Deviations / comments :**

Breathing performance tests according to EN 250: 2014 §5.7.1, §6.7.1, §5.7.2, §6.7.2) were carried out at a depth of **60 meters** using a quick disconnect hose with a length of 3 meters.

The test relating to the auxiliary emergency breathing system (EN 250: 2014 §5.7.3 and Appendix B) was performed at a depth of **60 meters**, with an air flow of **970 l/min**, using a **rubber hose** with a length of 3 meters.

The test relating to the auxiliary emergency breathing system (EN 250: 2014 §5.7.3 and Appendix B) was performed at a depth of **50 meters**, with an air flow of **830 l/min**, using a **Quick disconnect hose** with a length of 3 meters.

All cold water testing was conducted at a water temperature of +2°C.

• *références des exigences essentielles ou règles techniques vérifiées dans le cadre de l'examen CE de type : Directive EPI 89/686/CEE-Norme harmonisée EN 250 : 2014*  
- references to essential requirements or technical requirements verified within were taken into examination framework

Council PPE 89/686/EC-Standard EN 250:2014

Marseille, 12 October 2016

Tel : 0 496 140 340 - Fax : 04 91 73 83 01  
13267 MARSEILLE CEDEX 08  
Entrée : 157  
Port de la Plongée Professionnelle  
INSTITUT NATIONAL DE PLONGÉE PROFESSIONNELLE

Eric ALBIER  
Directeur (Director)

**NOTA :** Toute modification apportée au matériel neuf, objet de la présente attestation d'examen CE de type, doit être portée à la connaissance de l'organisme habilité en application de l'article R 233-62 du Code du Travail.  
*Any modification brought about a new equipment covered by this EC Type Examination Certificate must be notified to the body in enforcement of article R 233-62 of French Labour Code.*  
Cette attestation comporte trois pages / This certificate included three pages